

DELEKATALOG

Produktets navn/ID: **RTS Dopesave 3800**

| Sted: Deler Dopemaskin | | | | | |
|-------------------------------|-----------|-----------------------------|--------------|------------|-----------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 1 | 38-10-000 | Komplett Dopemaskin | Dopsave 3800 | | Rig Tech Solutions AS |
| 1 | 38-70-700 | Komplett Slangepakke | | 10M | Rig Tech Solutions AS |
| 1 | 38-27-129 | Front panel | | | Rig Tech Solutions AS |
| 1 | 38-27-130 | Main Cover | | | Rig Tech Solutions AS |
| 1 | 38-70-342 | Bottom | | | Rig Tech Solutions AS |
| 1 | 38-70-341 | Bottom Rubber plate | | | Rig Tech Solutions AS |
| 1 | 38-70-343 | Bottom Rubber Disk | | | Rig Tech Solutions AS |
| 1 | 38-70-151 | Teflon Føringskinne Kam | PTFE | T=5mm | Rig Tech Solutions AS |
| 1 | 38-70-152 | Neopren Tettning Manifoild | ID 30 | OD 50/11mm | Rig Tech Solutions AS |
| 2 | 38-70-153 | Neopren Tettning Manifoild | ID 12 | OD 37/11mm | Rig Tech Solutions AS |
| 2 | 38-70-154 | Neopren Tettning Body | ISO845-88 | 30x3mm | Rig Tech Solutions AS |
| 1 | 38-70-155 | Vippe Arm Complete | | | Rig Tech Solutions AS |
| 1 | 38-70-156 | Foring Vippe Arm | Pom | | Rig Tech Solutions AS |
| 2 | 38-70-157 | Distanse Ringer Vippe Arm | Pom | | Rig Tech Solutions AS |
| 1 | 38-70-158 | Hoved Aksel Vippe Arm | | | Rig Tech Solutions AS |
| 1 | 38-70-159 | Aksel Nese Hjul | | | Rig Tech Solutions AS |
| 1 | 38-70-160 | Aksel Rulle | | | Rig Tech Solutions AS |
| 1 | 38-70-161 | Nese Hjul Vippe Arm | | | Rig Tech Solutions AS |
| 1 | 38-70-162 | Rulle Vippe Arm | Pom | | Rig Tech Solutions AS |
| 4 | 38-70-170 | Fjærfeste I Føringsrør | | | Rig Tech Solutions AS |
| 4 | 38-70-104 | Wire Vendehjul | | | Rig Tech Solutions AS |
| 4 | 38-70-143 | Wire Guidehjul | | | Rig Tech Solutions AS |
| 4 | 38-70-451 | Wire til medbringer | 4-610 | 4mm | Rig Tech Solutions AS |
| 8 | 38-70-105 | Distanseringer Vendehjul | | | Rig Tech Solutions AS |
| 4 | 38-90-150 | Bearing Vendehjul | SS 4200 | 10x30x14 | Rig Tech Solutions AS |
| 8 | 38-90-151 | Bearing Guidehjul | SS 6000 | 10x26x8 | Rig Tech Solutions AS |
| 4 | 38-70-452 | Guide sko | | | Rig Tech Solutions AS |
| 4 | 38-70-459 | Strekfjærer | 43240 | d4,50 DE50 | Rig Tech Solutions AS |
| 1 | 38-90-630 | Velgerventil Dope | | 1/2" Bsp | Rig Tech Solutions AS |
| 1 | 38-70-631 | Seal Kit Velgerventil Dope | | | Rig Tech Solutions AS |
| 1 | 38-90-640 | Velgerventil Water | | 3/8" Bsp | Rig Tech Solutions AS |
| 1 | 38-70-641 | Seal Kit Velgerventil Water | | | Rig Tech Solutions AS |
| 1 | 38-70-642 | Fjær Velgerventil | 22500 | | Rig Tech Solutions AS |
| | | | | | |
| | | | | | |

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|

| | | | | | |
|---|------------|-----------------------------|------------------------|----------|-----------------------|
| 1 | 38-70-643 | Nose Seat Velgerventil | | | Rig Tech Solutions AS |
| 1 | 38-70-644 | Nose Seat Mounting screw | Din 7991 A4 | M5x20 | Rig Tech Solutions AS |
| 1 | 38-70-651 | Hp Water Valve Seal kit | | | Rig Tech Solutions AS |
| 4 | 38-70-652 | Hp Nozzle | | 1/4" Npt | Rig Tech Solutions AS |
| 1 | 38-70-653 | Hp Water Valve Needle | | | Rig Tech Solutions AS |
| 1 | 38-70-654 | Hp Water Valve Seat Adapter | | | Rig Tech Solutions AS |
| 1 | 38-70-655 | Hp Water Valve spring | ST51160 | | Rig Tech Solutions AS |
| 1 | 38-70-670 | Valve Block Complete | | | Rig Tech Solutions AS |
| 4 | 38-70-671 | Dope Nozzle | | | Rig Tech Solutions AS |
| 1 | 251971905C | Gummi Mansjett | Inntaksmanifoild dope | | Rig Tech Solutions AS |
| 1 | 1H0971840 | Gummi Mansjett | Inntaksmanifoild water | | Rig Tech Solutions AS |
| 1 | 7D1711122 | Gummi Mansjett | Vippearm | | Rig Tech Solutions AS |

| Sted: Luft Slanger kontroll-/pumpeskap og dopemaskin | | | | | |
|---|----------|-------------------|------|-----------|------------|
| Stk. | Part nr | Beskrivelse | Type | Dimensjon | Leverandør |
| 1 | 11304-04 | Polyurethanrør | | 4mm | Tess |
| 1 | 11306-8 | Sort Nylon-Slange | PA12 | 8mm | Tess |
| 1 | 11306-10 | Sort Nylon-Slange | PA12 | 10mm | Tess |
| 1 | 11306-12 | Sort Nylon-Slange | PA12 | 12mm | Tess |
| 1 | 11306-16 | Sort Nylon-Slange | PA12 | 16mm | Tess |

| Sted: Hurtigkupper dopemaskin | | | | | |
|--------------------------------------|-------------|------------------------|---------|-----------|------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 2 | 5552-03-04S | Cejn 525, Tema T serie | hun | 1/4" Bsp | Hydroscand |
| 1 | 5552-03-06S | Cejn 525, Tema T serie | hun | 3/8" Bsp | Hydroscand |
| 1 | 5552-03-08S | Cejn 525, Tema T serie | hun | 1/2" Bsp | Hydroscand |
| 2 | 5552-02-04S | Cejn 525, Tema T serie | hann | 1/4" Bsp | Hydroscand |
| 1 | 5552-02-06S | Cejn 525, Tema T serie | hann | 3/8" Bsp | Hydroscand |
| 1 | 5552-02-08S | Cejn 525, Tema T serie | hann | 1/2" Bsp | Hydroscand |
| 1 | 5009-02-08 | Klokuppling | Utv/gj | 1/2" Npt | Hydroscand |
| 1 | 5009-03-08 | Klokuppling | Innv/gj | 1/2" Npt | Hydroscand |

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|

| Sted: | | Deler kontroll-/pumpeskap | | | |
|-------|-------------|-------------------------------|---------------|-----------|-----------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 1 | 38-90-800 | Komplett Kontroll-/Pumpeskap | | | Rig Tech Solutions AS |
| 1 | 38-90-819 | Retnings Ventil for Lift Skap | | 1/2" Bsp | Rig Tech Solutions AS |
| 1 | 38-90-821 | Shut Down Valve | | 1/2" Bsp | Rig Tech Solutions AS |
| 1 | 8890-12-12S | Kuleventil Nødstop | PH | 3/4" Bsp | Hydroscand |
| 1 | 7115Z8YDL | Kuleventil Luft Følgeplate | Hoke | 8mm | MRC Teamtrade |
| 1 | 8890-08-08S | Kuleventil Dopepumpe | PH | 1/2" Bsp | Hydroscand |
| 1 | 8890-06-06S | Kuleventil Sirk-pumpe | PH | 3/8" Bsp | Hydroscand |
| 1 | 8890-06-06S | Kuleventil HT Vasker | PH | 3/8" Bsp | Hydroscand |
| 1 | 7223G8Y | Kuleventil HT Vasker | Gyrolock | 1/2" Npt | MRC Teamtrade |
| 1 | 38-90-810 | Kuleventil Avblødning Dope | | 1/2" Bsp | Rig Tech Solutions AS |
| 1 | 5558-86-04 | Tilbakeslags Ventil | Faster | 1/4" Bsp | Hydroscand |
| 2 | 38-90-810 | Lufteventil Dopespann | Wagner | | Rig Tech Solutions AS |
| 1 | 38-90-818 | Luftregulator Dopepumpe | FRL-T020 | 1/2" Bsp | Rig Tech Solutions AS |
| 1 | 38-90-817 | Luftregulator Lift | Mini FRL-T020 | 1/4" Bsp | Rig Tech Solutions AS |
| 1 | 38-90-815 | Luftregulator Sirk-Pumpe | FRL-T020 | 3/8" Bsp | Rig Tech Solutions AS |
| 1 | 38-90-814 | Luftregulator HT Vasker | FRL-T020 | 3/8" Bsp | Rig Tech Solutions AS |
| 1 | 8360-00-25 | Manometer HT Vasker | 0-250 Bar | 1/4" Npt | Hydroscand |
| 1 | 38-90-820 | Sirk-Pumpe | Aro-PDO1 | | Rig Tech Solutions AS |
| 1 | 38-90-813 | Varmekolbe | Kern 32EX1R | | Rig Tech Solutions AS |
| 1 | 38-90-812 | Tåkesmører Olympian Pluss | L68C | 3/4" Npt | Rig Tech Solutions AS |
| 1 | 38-70-825 | Rep Kit Tåkesmører | L68M | | Rig Tech Solutions AS |
| 1 | 38-90-811 | Pumpe HT Vasker | Resato 160 | | Rig Tech Solutions AS |
| 1 | P160-20-2 | Complete spare parts | Resato 160 | | Pump Tech AS |
| 1 | 38-70-890 | Komplett Dope Pumpe EVO | 24-150 | | Rig Tech Solutions AS |
| 1 | 38-70-891 | Komplett Dopepumpe lift | PP50 | | Rig Tech Solutions AS |
| 1 | 38-90-823 | Gummi pakning Følgeplate | Wagner | | Rig Tech Solutions AS |
| 1 | 38-90-822 | Følgeplate Dopepumpe | Wagner | | Rig Tech Solutions AS |
| 1 | 38-90-810 | Tanklokk | Pom | | Rig Tech Solutions AS |
| 1 | 38-70-870 | Eksosfilter | Silencer SL1 | 3/8" Npt | Tess |

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|

| Sted: Feste Matriell kontroll-/pumpeskap og dopemaskin | | | | | |
|---|-----------------|------------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 58 | Iso 7380-1 A4 | Button Head | Umb | M8x12 | Tools |
| 15 | Iso 7380-1 A4 | Button Head | Umb | M6x10 | Tools |
| 16 | Iso 7380-1 A4 | Button Head | T25 | M5x8 | Tools |
| 16 | Iso 7380-1 A4 | Button Head | T25 | M5x10 | Tools |
| 2 | Din6912 A4 | Low Head | Umb | M6x16 | Tools |
| 4 | Din 912 A4 | Socket head cap screws | Umb | M10x60 | Tools |
| 5 | Din7991 A4 | Socket Head | Umb | M6x12 | Tools |
| 1 | Din 913-45H A4 | Set Screw | Umb | M5x8 | Tools |
| 6 | Din 933 A4 | Hex head screws | 6K | M8x16 | Tools |
| 10 | Din 125A A4 | Flat Washers | | 6,5 | Tools |
| 57 | Din 125A A4 | Flat Washers | | 8,5 | Tools |
| 8 | Din 125A A4 | Flat Washers | | 10,5 | Tools |
| 1 | Din 125A A4 | Flat Washers | | 13 | Tools |
| 2 | Din 985 A4 | Nylock Nuts | 6K | M8 | Tools |
| 4 | Din 985 A4 | Nylock Nuts | 6K | M10 | Tools |
| 1 | Din 985 A4 | Nylock Nuts | 6K | M12 | Tools |
| 8 | Iso 7380 A4 | Button Head | Umb | M6x16 | Tools |
| 4 | Iso 7380 A4 | Button Head | Umb | M8x20 | Tools |
| 8 | Din 1587 A4 | Cap Nut | 6K | M6 | Tools |
| 4 | Din 1587 A4 | Cap Nut | 6K | M8 | Tools |
| 4 | Din 985 A4 | Nylock Nut | 6K | M6 | Tools |
| 4 | Din 938 A4 | Stud Bolt | | M6 | Tools |
| 8 | Din 471 SS | Seegering | A10 | 10 | Tools |
| 8 | Din 472 SS | Seegering | I 30 | 30 | Tools |

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|

FITTINGS

| Sted: | Dope maskin | | | | |
|-------|--------------|------------------------|-----------|-----------|---------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 8 | 10CM4MA | Male connector 316 ss | Tube 10 | 1/4" BSP | MRC Teamtrade |
| 2 | 10UMM | Union 316ss | Tube 10 | | MRC Teamtrade |
| 1 | 12CF6MZ | Female connector 316ss | Tube 12 | 3/8" BSP | MRC Teamtrade |
| 1 | 7305-06-06 S | Ansats 45' | Utv - inv | 3/8" BSP | Hydroscand |
| 1 | 7002-06-06 S | Ansats | Utv - utv | 3/8" BSP | Hydroscand |
| 1 | 20CM8MA | Male connector 316 ss | Tube 20 | 1/2" BSP | MRC Teamtrade |
| 10 | M2031-010 S | Quick fittings WE 90' | Tube 8 | 1/8" BSP | Hydroscand |
| 5 | M2031-017 S | Quick fittings WE 90' | Tube 12 | 3/8" BSP | Hydroscand |
| 1 | 5090-20-08 S | Tønnenippel | | G 1/2" | Hydroscand |
| 1 | 5085-08-08 S | Vinkelkuppling 45' | | G 1/2" | Hydroscand |
| 4 | 12LM4MC | Elbow 316 | Tube 12 | 1/4" RT | MRC Teamtrade |
| 2 | 16CM8MA | Male connector 316 | Tube 16 | 1/2" BSP | MRC Teamtrade |
| 2 | 5084-08-08 S | Vinkelkuppling | | G 1/2" | Hydroscand |
| 1 | 5070-08-08 S | Ansatsnippel | | G 1/2" | Hydroscand |
| 8 | 8N MM | Nut 316 | | | MRC Teamtrade |
| 12 | 10N MM | Nut 316 | | | MRC Teamtrade |
| 2 | 12N MM | Nut 316 | | | MRC Teamtrade |
| 1 | 16N MM | Nut 316 | | | MRC Teamtrade |
| 8 | 8Fr MM | Rear ferrule 316 | | | MRC Teamtrade |
| 12 | 10Fr MM | Rear ferrule 316 | | | MRC Teamtrade |
| 2 | 12Fr MM | Rear ferrule 316 | | | MRC Teamtrade |
| 1 | 16Fr MM | Rear ferrule 316 | | | MRC Teamtrade |
| 8 | 8FF mm | Front ferrule 316 | | | MRC Teamtrade |
| 12 | 10FF mm | Front ferrule 316 | | | MRC Teamtrade |
| 2 | 12FF mm | Front ferrule 316 | | | MRC Teamtrade |
| 1 | 16FF mm | Front ferrule 316 | | | MRC Teamtrade |

FITTINGS

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|

| Sted: Dope Skap | | | | | |
|------------------------|-----------------|--------------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 2 | 16CM8MA | Male connector 316 ss | Tube 16 | 1/2" BSP | MRC Teamtrade |
| 1 | 5073-08-08 S | T- kuppling | Innv | G 1/2" | Hydroscand |
| 1 | 20AM8MC | Male adapter 316 ss | Tube 20 | 1/2" RT | MRC Teamtrade |
| 1 | 20 TTT MM | Union Tee 316ss | Tube 20 | | MRC Teamtrade |
| 1 | 16 TTT MM | Union Tee 316ss | Tube 16 | | MRC Teamtrade |
| 1 | 20AM12MC | Male adapter 316 ss | Tube 20 | 3/4" RT | MRC Teamtrade |
| 1 | 20LUMM | Union elbow 316ss | Tube 20 | | MRC Teamtrade |
| 1 | 20CM12MC | Male connector 316 ss | Tube 20 | 3/4" RT | MRC Teamtrade |
| 12 | 20BUMM | Bulkhead union 316ss | Tube 20 | | MRC Teamtrade |
| 1 | 20BUMM | Bulkhead union 316ss | Tube 20 | 3/4" BSP | MRC Teamtrade |
| 3 | 12BCF6 | Bulkhead connector 316ss | Tube 16 | 3/8" NPT | MRC Teamtrade |
| 1 | 7090-08-08 S | Skott gj. Gang | | 1/2" BSP | Hydroscand |
| 1 | 7090-10-10 S | Skott gj. Gang | | 5/8" BSP | Hydroscand |
| 1 | 7203-10-10 S | Vinkelkupling 90' | Utv - inv | 5/8" - 5/8" BSP | Hydroscand |
| 1 | 7000-10-10 S | Skott gj. Gang HAWKE | 501/421B | M25 | Tranberg |

| Sted: Luftregulator dopepumpe | | | | | |
|--------------------------------------|----------------|-----------------------|-------------|------------------|-------------------|
| Stk. | Part nr | Beskrivelse | Type | Dimensjon | Leverandør |
| 3 | 5070-08-08 S | Ansatsnippel | utv-utv | G 1/2" | Hydroscand |
| 3 | 5073-08-08 S | T- kuppling | Innv | G 1/2" | Hydroscand |
| 3 | 5071-08-04 S | Reduksjon | utv - innv | G 1/2" - G 1/4" | Hydroscand |
| 1 | 7204-08-08 S | Vinkelkupling 90' | utv-utv | 1/2" BSP | Hydroscand |
| 1 | 16CM8MA | Male connector 316 ss | Tube 16 | 1/2" BSP | MRC Teamtrade |
| 2 | M2031-011 S | Quick fittings WE 90' | Tube 8 | G 1/4" | Hydroscand |
| 1 | M2031-003 S | Quick fittings WE 90' | Tube 4 | G 1/4" | Hydroscand |

| Sted: Luftregulator Aro / Resato | | | | | |
|---|-----------------|-----------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 2 | 7204-06-06 S | Vinkelkupling 90' | utv-utv | 3/8" BSP | Hydroscand |
| 2 | 5070-08-08 S | Ansatsnippel | utv-utv | G 3/8" | Hydroscand |
| 1 | 5073-06-06 S | T- kuppling | utv-utv | G 3/8" | Hydroscand |
| 1 | 16CM8MA | Male connector 316 ss | Tube 16 | 3/8" BSP | MRC Teamtrade |
| 2 | 12CM8MA | Male connector 316 ss | Tube 16 | 3/8" BSP | MRC Teamtrade |

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|

FITTINGS

| Sted: Dope pumpe | | | | | |
|-------------------------|-----------------|------------------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 2 | 7204-08-08 S | Vinkelkuppling 90' 316ss | Utv - utv | 1/2" BSP | Hydroscand |
| 2 | 7017-08-04 S | Ansats 316ss | Utv - inv | 1/2" - 1/4" BSP | Hydroscand |
| 2 | 150430028 | Vinkelkuppling 90' | utv | G 1/4" | Hydroscand |
| 1 | M2031-011 S | Quick fittings WE 90' | Tube 8 | G 1/4" | Hydroscand |
| 2 | M2031-003 S | Quick fittings WE 90' | Tube 4 | G 1/4" | Hydroscand |
| 3 | C00600800 | T-kuppling komposittfittings | Tube 8 | | Norgren |
| 1 | C00600400 | T-kuppling komposittfittings | Tube 4 | | Norgren |
| 1 | C00200804 | Dobbeltunion kompositt | Tube 8/4 | | Norgren |
| 2 | M2001-003 S | Quick fittings GE Rett | Tube 4 | G 1/4" | Hydroscand |
| 2 | M2003-001 S | Quick fittings G union | Tube 4 | | Hydroscand |
| 1 | 8CM4MA | Male connector 316ss | Tube 8 | 1/4" BSP | MRC Teamtrade |
| 1 | 7002-08-10 S | Ansats | Utv - utv | 1/2" - 5/8" BSP | Hydroscand |
| 1 | 5558-86-04 | Tilbakeslagsventil 316 | | 1/4" BSP | Hydroscand |

| Sted: Varmekolbe Kern | | | | | |
|------------------------------|-----------------|--------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 2 | 12CF8MZ | Rett kupling 3/6 | Tube 12 | 1/2" BSP | MRC Teamtrade |

| Sted: Sirkulasjons pumpe / tank | | | | | |
|--|-----------------|----------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 1 | 10LM4ME | Male elbow 316ss | Tube 10 | 1/4" NPT | MRC Teamtrade |
| 1 | 12LM4ME | Male elbow 316ss | Tube 12 | 1/4" NPT | MRC Teamtrade |
| 1 | 12CM12MA | Male connector 316ss | Tube 12 | 3/4" NPT | MRC Teamtrade |
| 1 | 12LM12ME | Male elbow 316ss | Tube 12 | 3/4" NPT | MRC Teamtrade |
| 2 | 5084-08-08 S | Inkel kupling 316ss | | G 1/2" | |
| 1 | 10N MM | Nut metric 316ss | | 1/4" NPT | MRC Teamtrade |
| 1 | 12N MM | Nut metric 316ss | | 1/4" NPT | MRC Teamtrade |
| 1 | 10FF MM | Front ferrule 316ss | | 1/4" NPT | MRC Teamtrade |
| 1 | 10FR MM | Rear ferrule 316ss | | 1/4" NPT | MRC Teamtrade |
| 1 | 12FF MM | Front ferrule 316ss | | 1/4" NPT | MRC Teamtrade |
| 1 | 12FR MM | Rear ferrule 316ss | | 1/4" NPT | MRC Teamtrade |

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|

FITTINGS

| Sted: Høytrykksvasker | | | | | |
|------------------------------|-----------------|-----------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 2 | 20AM12MC | Male adapter 316ss | Tube 20 | 3/4" RT | MRC Teamtrade |
| 2 | 20LUMM | Union elbow 316ss | Tube 20 | | MRC Teamtrade |
| 1 | 20TTTMM | Union Tee 316ss | Tube 20 | | MRC Teamtrade |
| 1 | 8FT/BM8 | Male branch tee 316ss | FTBM | 1/2" NPT | MRC Teamtrade |
| 1 | 8MLP | Male elbow 316ss | MLP | 1/2" NPT | MRC Teamtrade |
| 2 | 12LM8ME | Male elbow 316ss | Tube 12 | 1/2" NPT | MRC Teamtrade |
| 2 | 12CM8ME | Male connector 316ss | Tube 12 | 1/2" NPT | MRC Teamtrade |
| 1 | 10CM8ME | Male connector 316ss | Tube 10 | 1/2" NPT | MRC Teamtrade |
| 1 | 16AM6MC | Male adapter 316ss | Tube 16 | 3/8" RT | MRC Teamtrade |
| 1 | 12LF6MC | Female elbow 316ss | Tube 12 | 3/8" RT | MRC Teamtrade |
| | | | | | |

| Sted: Slange pakke | | | | | |
|---------------------------|-----------------|-----------------------------|-------------|------------------|-------------------|
| Stk. | Part nr. | Beskrivelse | Type | Dimensjon | Leverandør |
| 1 | 1105-21-06 | Kappaflex slange | 2KxA | 3/8" | Hydroscand |
| 1 | 1105-21-08 | Kappaflex slange | 2KxA | 1/2" | Hydroscand |
| 1 | 1105-21-10 | Kappaflex slange | 2KxA | 5/8" | Hydroscand |
| 1 | 1101-00 | Egefex 1 | Luftslange | 3/4" | Hydroscand |
| 4 | 4202-06-06 S | Rett slangefittings | Utv. | 3/8" - 3/8" BSP | Hydroscand |
| 1 | 4202-08-08 S | Rett slangefittings | Utv. | 1/2" - 1/2" BSP | Hydroscand |
| 1 | 4202-08-10 S | Rett slangefittings | Utv. | 5/8" - 1/2" BSP | Hydroscand |
| 1 | 4201-08-08 S | Rett slangefittings | innv. | 1/2" - 1/2" BSP | Hydroscand |
| 1 | 4201-10-10 S | Rett slangefittings | innv. | 5/8" - 5/8" BSP | Hydroscand |
| 1 | 4202-12-12 S | Rett slangefittings | Utv. | 3/4" - 3/4" BSP | Hydroscand |
| 1 | 4226-20-12 S | Rett rørstuss | | S 3/4" 20 stuss | Hydroscand |
| 2 | 4200-11-12 S | Presshylse | | S 3/4" | Hydroscand |
| 4 | 4200-11-06 S | Presshylse | | S 3/8" | Hydroscand |
| 2 | 4200-11-08 S | Presshylse | | S 1/2" | Hydroscand |
| 2 | 4200-11-10 S | Presshylse | | S 5/8" | Hydroscand |
| 1 | 55250032 | ID51 Pyrojacket | | | Hydroscand |
| 1 | 91340-93 | OD93 Sleeveguard | | | Tess |
| | | Standardlengde slange pakke | | 10 meter | |

| | | | |
|--------------------------|--------------------------|-----------------------|----------------------------|
| Dokument nr.: 4.00.02 | Utgitt dato: 10.06.15 | Godkjent av: WL/HH | Revidert dato: 14.01.16 |
|--------------------------|--------------------------|-----------------------|----------------------------|